





**INTERBRUCKE  
ALUMINIUM**

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
10114	4.00	1.00	0.026	12.566
10501	6.00	0.70	0.032	18.850
10526	6.50	1.50	0.064	20.420
10522	7.00	0.70	0.038	21.99
10503	7.50	0.80	0.046	23.56
10502	7.80	0.70	0.042	24.50
1000	8.00	0.75	0.046	25.13
1062	8.00	0.80	0.049	25.13
1050	8.00	1.00	0.060	25.13
1051	8.00	1.20	0.069	25.13
10511	8.00	1.50	0.083	25.13
1002A	8.50	0.70	0.046	26.70
1002	8.50	0.75	0.049	26.70
1001A	8.70	0.75	0.051	27.33
1063	8.70	0.80	0.054	27.33
1045B	9.00	0.70	0.049	28.27
1045	9.00	0.75	0.053	28.27
1045A	9.00	0.80	0.056	28.27
1004A	9.53	0.80	0.059	29.94
1004	9.53	0.90	0.066	29.94
1077	9.53	1.00	0.073	29.94
1077 A	9.53	1.50	0.103	29.94
10574	9.53	1.50	0.103	29.94
1078	10.00	2.50	0.160	31.42
1003	10.70	0.75	0.064	33.62
1061	10.70	0.80	0.068	33.62
1003A	10.70	1.50	0.117	33.62

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1038	11.00	0.70	0.061	34.56
1038 A	11.00	2.00	0.153	34.558
1005	11.50	0.80	0.073	36.13
1054	11.50	1.00	0.089	32.99
0508	11.50	1.70	0.142	36.13
10064	12.00	4.40	0.285	37.70
10063	12.20	1.20	0.112	38.327
1007B	12.70	0.82	0.083	39.90
1007	12.70	0.90	0.090	39.90
1064	12.70	1.00	0.100	39.90
1006A	12.70	1.20	0.118	39.90
1075	13.00	0.70	0.073	40.85
1056	14.00	0.80	0.090	43.98
1079	14.00	1.20	0.131	43.98
1042	14.06	0.70	0.080	44.17
1008	15.00	0.80	0.097	47.12
10592	15.80	1.50	0.183	49.637
1009	15.88	0.90	0.115	49.89
1010A	15.88	1.15	0.144	49.89
10095	15.88	1.90	0.226	49.889
1010	16.00	1.00	0.128	50.27
1090	16.00	1.20	0.151	50.27
0513	16.00	1.70	0.207	50.27
1039	17.00	0.70	0.097	53.41
1055	17.00	0.80	0.110	53.41
1011B	17.50	3.00	0.370	54.98
0502	17.80	1.50	0.208	55.92

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1012B	18.00	0.80	0.117	56.55
1092	18.00	1.50	0.211	56.55
10125	18.75	1.45	0.214	58.905
10681	19.00	1.20	0.182	59.69
1068	19.00	1.30	0.196	59.69
05019	19.00	1.90	0.277	59.690
10689	19.00	5.50	0.632	59.690
1012	19.05	0.90	0.139	59.85
1057	19.05	1.00	0.154	59.85
10594	19.05	1.20	0.182	59.85
1076	19.55	1.25	0.195	61.42
0501	19.05	1.50	0.224	59.85
0501 A	19.05	3.00	0.410	59.847
1043	20.00	0.70	0.115	62.83
1065	20.00	0.80	0.131	62.83
1013	20.00	1.50	0.236	62.83
10133	20.00	1.70	0.265	62.830
100	20.00	2.00	0.306	62.832
10134	20.00	2.50	0.372	62.830
10132	20.00	3.00	0.434	62.830
1014	21.00	0.70	0.121	65.97
1014A	21.00	0.80	0.138	65.97
0509	21.00	1.70	0.279	65.97
0504	21.00	2.50	0.394	65.97
1015	22.00	0.75	0.136	69.12
1060	22.00	0.80	0.144	69.12
10162	22.00	1.20	0.213	69.115

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1016	22.00	1.50	0.262	69.115
1016 C	22.00	1.65	0.286	69.115
10163	22.00	1.80	0.310	69.115
1073	22.00	1.90	0.325	69.12
1016 A	22.00	2.00	0.341	69.115
1049	22.00	4.00	0.613	69.12
KMI 015	22.10	0.90	0.162	69.429
1017 B	22.20	2.50	0.419	69.74
1017	22.23	0.90	0.163	69.84
1017 D	22.23	0.90	0.163	69.84
1066	22.23	1.00	0.181	69.84
10523	22.30	1.40	0.249	70.058
1036	23.00	0.75	0.142	72.26
1058	23.00	0.80	0.151	72.26
10361	23.40	0.70	0.135	73.513
10585	23.50	1.20	0.228	73.827
10371	24.00	0.90	0.177	75.400
10372	24.50	0.70	0.142	76.969
1037	24.50	0.75	0.152	76.97
10375	24.75	1.45	0.288	77.754
1040	25.00	0.70	0.145	78.54
1082	25.00	0.90	0.185	78.54
1088	25.00	1.00	0.204	78.54
1021C	25.00	1.20	0.243	78.54
0510	25.00	1.25	0.253	78.54
0521	25.00	1.30	0.262	78.54
0514	25.00	1.40	0.281	78.54

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1041	25.00	1.50	0.300	78.54
1019	25.00	1.70	0.337	78.54
10191	25.00	1.80	0.356	78.540
1072	25.00	1.90	0.374	78.54
1020	25.00	2.00	0.392	78.54
1018	25.20	0.80	0.166	79.17
1021A	25.40	0.90	0.188	79.80
1021	25.40	1.00	0.208	79.80
1021B	25.40	1.20	0.247	79.80
10524	25.40	1.40	0.286	79.797
1096	25.40	1.50	0.305	79.80
10525	25.40	3.18	0.602	79.797
1091	26.00	2.00	0.409	81.68
1023	28.00	2.90	0.619	87.96
0512	28.00	7.00	1.252	87.96
0520	28.40	1.50	0.344	89.22
0516	28.50	1.30	0.301	89.54
0534	30.00	1.00	0.247	94.248
0530	30.00	1.30	0.318	94.25
0531	30.00	1.70	0.410	94.25
0533	30.00	1.85	0.443	94.248
0532	30.00	2.00	0.477	94.25
1025	30.50	2.50	0.596	95.82
1034	31.00	9.25	1.713	97.39
10532	31.70	0.80	0.210	99.589
10271	31.70	0.90	0.236	99.59
1098	31.70	1.00	0.261	99.59

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1052	31.75	1.20	0.312	99.75
1022	31.75	2.00	0.507	99.75
10224	31.75	2.40	0.600	99.746
10981	31.90	1.00	0.263	100.220
0503	32.00	4.00	0.954	100.53
1027	33.00	0.95	0.259	103.67
10276	33.00	5.25	1.240	103.670
1074	34.00	1.50	0.415	106.81
10741	34.00	1.55	0.428	106.814
1024	34.00	3.75	0.966	106.81
1074 A	34.60	1.50	0.423	108.70
1097	35.00	1.50	0.429	109.96
1053	35.00	2.00	0.562	109.96
10535 A	36.50	5.15	1.375	196.98
1059	37.50	3.75	1.078	117.81
10538	37.70	3.85	1.110	118.44
10537 A	37.80	1.55	0.478	118.752
1044	38.00	1.25	0.391	119.38
10537	38.00	1.50	0.466	119.38
0506	38.00	2.00	0.613	119.38
1099	38.10	1.15	0.362	119.69
10996	38.10	1.60	0.497	119.69
110 B	38.10	2.30	0.701	119.69
1047	38.50	4.05	1.188	120.95
10539	39.40	2.20	0.697	123.779
1067	40.00	2.50	0.798	125.66
1032	40.00	8.25	2.230	125.66

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
1026	41.00	3.50	1.117	128.81
1087	41.00	3.60	1.146	128.81
1094	41.10	4.60	1.429	129.12
1031	41.10	5.60	1.693	129.12
1071 A	42.00	1.80	0.616	131.95
1071	42.00	2.00	0.681	131.95
10711	42.40	1.85	0.639	133.204
0505	46.00	3.50	1.266	144.51
1033	47.30	11.20	3.442	148.60
0511	50.00	2.00	0.817	157.08
0507	50.00	4.00	1.567	157.08
1093	50.70	2.35	0.967	159.28
1070	50.70	4.00	1.590	159.28
1086	50.70	4.40	1.734	159.28
1048	50.70	6.15	2.333	159.28
1028	50.70	6.30	2.381	159.28
1029	50.70	12.60	4.087	159.28
1070 A	50.70	12.60	4.087	159.28
10541	50.80	1.20	0.507	159.593
1080	50.80	1.80	0.751	159.59
1080 A	50.84	1.92	0.800	159.72
10555	60.93	3.30	1.619	191.417
1035	61.00	6.00	2.810	191.64
1030	62.00	8.00	3.678	194.78
10553	63.50	1.25	0.662	199.49
1069	75.50	6.00	3.550	237.19
0517	76.20	0.90	0.577	239.39

# ROUND TUBE




NO SECTION	D mm	T mm	W Kg/M	P mm
0517 B	76.20	1.20	0.766	239.39
1083	76.20	1.50	0.954	239.39
0517 A	76.20	3.00	1.870	239.39
10896	82.00	4.00	2.656	257.611
1089	83.00	1.20	0.836	260.75
1046	88.90	1.50	1.116	279.29
1085	95.00	2.50	1.969	298.45
10851	98.40	4.20	3.368	309.13
10567	100.0	1.30	1.092	314.159

# SQUARE HOLLOWS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1173	9.00	0.70	0.063	36.00
1126	11.00	0.70	0.078	44.00
1101	11.50	0.80	0.092	46.00
1135	12.70	0.80	0.103	50.80
1119 A	12.70	0.90	0.115	50.80
1119	12.70	1.00	0.127	50.80
11710	14.00	0.70	0.101	56.00
1174	15.00	0.70	0.109	60.00
1136	15.88	1.00	0.161	63.52
1161	16.00	0.70	0.116	64.00
1105	16.00	0.80	0.131	64.00
1112	17.00	0.70	0.124	68.00
1116	17.00	0.80	0.140	68.00
11171	18.00	0.70	0.131	72.00
1103	18.00	0.75	0.140	71.14
1117	18.00	0.80	0.149	72.00
11182	19.00	1.20	0.232	76.00
1118 A	19.05	0.90	0.177	76.20
1137	19.05	0.90	0.177	76.20
1118	19.05	1.00	0.196	76.20
1148	19.05	1.50	0.285	76.20
1111	19.20	0.80	0.160	76.80
1102	20.00	0.70	0.146	80.00
11623	20.00	1.30	0.264	80.00
1162	20.00	1.40	0.282	80.00
1102 A	20.00	2.00	0.390	80.00

# SQUARE HOLLOWS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1123	20.00	2.20	0.424	80.00
1104A	20.50	0.70	0.150	82.00
1104	20.50	0.80	0.170	82.00
1110	21.60	0.80	0.180	86.40
1152	21.60	1.70	0.367	86.40
1113	23.00	0.70	0.169	92.00
1122	23.00	0.75	0.181	92.00
1127	23.00	0.80	0.193	92.00
1107	23.50	0.80	0.196	94.00
1106	24.00	0.80	0.201	96.00
1160	25.00	0.70	0.184	100.00
1114A	25.00	0.70	0.184	100.00
1114	25.00	0.80	0.210	100.00
1108	25.00	0.90	0.235	100.00
11082	25.00	1.20	0.310	100.0
1128	25.00	2.00	0.480	94.85
1124	25.00	2.00	0.499	100.00
1138	25.40	0.90	0.239	101.60
1109	25.40	1.00	0.264	101.60
1109 B	25.40	1.20	0.315	101.60
1155	25.40	1.50	0.389	101.60
1153	25.40	1.70	0.437	101.60
1128 A	25.40	2.00	0.507	101.60
1139	25.40	2.00	0.507	101.60
11396	25.40	2.60	0.643	101.60
1140	25.40	2.80	0.686	101.60

# SQUARE HOLLOWS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1168	30.00	2.00	0.607	120.00
1149	31.75	1.10	0.365	127.00
1150	31.75	2.00	0.645	127.00
1141	38.10	1.00	0.402	152.40
11411	38.10	1.10	0.441	152.40
1142	38.10	2.00	0.783	152.40
11029	38.10	1.50	0.595	152.40
11702	40.00	1.00	0.423	160.000
11703 (r2.5)	40.00	1.20	0.494	155.710
11705	40.00	1.20	0.505	160.000
11704	40.00	1.40	0.574	155.708
11701	40.00	2.00	0.810	155.71
1167	40.00	3.30	1.313	160.00
11011	44.45	1.20	0.563	177.80
11663	50.00	1.20	0.624	195.71
1115	50.00	1.25	0.650	195.71
11662	50.00	1.40	0.736	198.798
11661	50.00	1.50	0.779	195.71
1166	50.00	1.50	0.786	198.28
11151	50.00	1.50	0.789	200.0
1125	50.00	1.80	0.940	200.00
11154	50.00	1.90	0.964	193.130
1121	50.00	2.00	1.026	195.71
1151	50.00	2.50	1.287	199.48
11153	50.00	3.00	1.528	200.0
1145	50.80	1.00	0.540	203.20
1146	50.80	2.00	1.058	203.20

# SQUARE HOLLOWS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1165	60.00	2.00	1.257	239.31
1154	60.00	4.00	2.428	240.00
1120	60.00	6.00	3.510	240.00
11017	76.20	3.00	2.380	304.80

# RECTANGULAR HOLLOWS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
1288	17.00	9.50	0.70	0.095	53.00
1206	17.00	12.00	0.75	0.112	58.00
1214	17.00	12.00	0.80	0.119	97.00
1283	18.00	10.00	0.70	0.101	56.00
1231	19.50	9.50	0.70	0.099	58.00
1202	20.00	12.00	0.90	0.147	64.00
1284	21.00	10.50	0.70	0.114	63.00
1205	22.00	11.00	0.70	0.120	66.00
1213	22.00	11.00	0.80	0.136	66.00
1203 A	23.00	11.00	0.70	0.124	68.00
1212	23.00	12.00	0.70	0.145	70.00
1219	23.50	11.70	0.70	0.128	70.40
1203	23.50	12.40	0.80	0.148	71.80
1235	25.00	20.00	2.00	0.444	90.00
1201	25.40	12.70	0.90	0.177	76.20
1218	25.40	12.70	1.00	0.196	76.20
1207	30.00	18.50	0.70	0.179	97.00
1215	30.00	18.50	0.80	0.203	97.00
12361	30.00	20.00	1.40	0.357	98.80
1202A	30.00	15.00	2.00	0.444	90.00
12023	30.00	20.00	3.00	0.715	100.0
12151	31.00	19.00	1.80	0.453	100.00
12152	32.00	18.00	2.20	0.535	96.566
12046	34.00	22.00	0.70	0.207	112.000
1204A	34.50	23.00	0.70	0.213	115.00

# RECTANGULAR HOLLOWS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
1204	34.50	23.00	0.80	0.242	115.00
1282	34.50	23.00	1.70	0.498	115.00
1290	35.00	23.00	0.70	0.215	116.00
1298	36.00	24.00	0.80	0.253	120.00
1208	38.10	25.40	0.90	0.301	127.00
1217	38.10	25.40	1.00	0.333	127.00
12421	38.10	25.40	1.50	0.492	127.00
12851	40.00	20.00	1.00	0.314	120.000
1285	40.00	20.00	1.50	0.463	119.14
1285 A	40.00	20.00	2.00	0.607	120.00
1286	45.00	22.50	0.70	0.251	135.00
1297	45.00	22.50	1.50	0.524	135.00
1294	46.00	23.00	0.70	0.256	138.00
1221	48.00	23.00	0.70	0.264	142.00
1221 A	50.00	25.00	2.00	0.770	150.00
12853	50.00	20.00	3.00	1.041	140.00
12601	50.00	30.00	1.35	0.566	160.00
12603	50.00	30.00	3.10	1.231	156.57
1211 A	50.60	25.40	3.00	1.141	152.4
12092	50.80	25.40	0.80	0.323	152.40
12091	50.80	25.40	0.90	0.363	152.40
1209	50.80	25.40	1.00	0.402	152.40
1211	50.80	25.40	1.40	0.557	152.40
12006	50.80	38.10	2.00	0.920	177.8
1260 A	50.80	38.50	4.00	1.763	178.60

# RECTANGULAR HOLLOWS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
12912	60.00	40.00	1.10	0.583	200.00
12027	70.00	30.00	1.20	0.635	200.00
12161	76.20	25.40	0.85	0.460	203.20
1216	76.20	25.40	1.00	0.540	203.20
1245	76.20	25.40	1.10	0.593	203.20
1210	76.20	25.40	1.20	0.645	203.20
1248	76.20	38.10	1.20	0.728	228.60
1237	76.20	38.10	3.00	1.761	228.60
1249	76.20	44.45	1.10	0.706	241.30
12643	76.20	44.45	3.00	1.864	241.30
12991	80.00	25.40	1.40	0.779	410.000
1287	101.60	25.40	1.00	0.678	254.00
1220	101.60	25.40	1.10	0.744	254.00
12011	101.60	25.40	1.40	0.942	254.00
1267	101.60	25.40	2.00	1.333	254.00
1277	101.60	38.10	2.30	1.684	279.40
12691	101.60	44.45	1.30	1.011	292.100
1270	101.60	44.45	2.00	1.540	292.100
12692	101.60	44.50	1.20	0.935	292.200
1251 A	101.60	50.80	1.50	1.215	304.80
1238 A	101.60	50.80	3.00	2.380	304.80
12992	123.00	25.40	1.40	1.105	582.400

# OTHERS HOLLOWS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
4041A	18.20	10.00	0.80	0.113	55.96
4602	20.00	12.00	0.70	0.114	63.778
4601A	20.00	12.00	0.80	0.129	63.78
4601	20.00	12.00	0.90	0.145	63.78
4606	20.00	12.00	1.00	0.160	63.73

# OTHERS HOLLOWS




1 3 0 0

W = 0.131 Kg/M  
P = 80.215 mm




13001

W = 0.183 kg/m  
P = 89.337 mm




1 3 3 2

W = 0.125 kg/m  
P = 76.646 mm




NO SECTION	D mm	T mm	W Kg/M	OP mm
1321	19.00	0.80	0.108	61.39
1322	20.00	0.80	0.114	64.378
1323	21.05	0.80	0.126	67.168
1303	21.80	0.90	0.142	69.65
1304	25.00	0.85	0.150	80.22




NO SECTION	D mm	T mm	W Kg/M	OP mm
1331	23.01	0.90	0.123	75.408
1333	24.20	0.91	0.129	79.155

# OTHERS HOLLWS




1 3 2 0

W = 0.159 Kg/M  
P = 77.872 mm




1 3 1 8

W = 0.156 Kg/M  
P = 86.342 mm




1 3 2 5

W = 0.228 Kg/M  
P = 88.97 mm




1 3 2 8

W = 0.246 Kg/M  
P = 87.93 mm




1 3 0 8

W = 0.371 Kg/M  
P = 81.84 mm




1 3 1 5

W = 0.473 Kg/M  
P = 119.247 mm



1 3 2 9


W = 0.239 Kg/M  
P = 106.940 mm




1 3 0 9

W = 0.297 Kg/M  
P = 110.20 mm


# OTHERS HOLLOWS




1 3 2 7  
 W = 0.132 Kg/M  
 P = 66.10 mm




1 3 1 4  
 W = 0.355 Kg/M  
 P = 90.999mm




1 3 1 9  
 W = 0.117 kg/m  
 P = 80.306 mm




1 3 2 6  
 W = 0.141 Kg/M  
 P = 81.675 mm



1 3 2 4  
 W = 0.155 Kg/M  
 P = 75.937 mm




1 3 3 0  
 W = 0.143 Kg/M  
 P = 79.531 mm




NO SECTION	D mm	T mm	W Kg/M	OP mm
1341	25.50	1.30	0.238	80.944
1342	28.30	1.30	0.268	89.864
1343	31.80	1.30	0.300	100.465

# OTHERS HOLLOWS




NO SECTION	A mm	T mm	R mm	W Kg/M	OP mm
13712	15.00	1.20	2.50	0.169	55.71
1374	19.00	1.00	2.50	0.186	71.71
13742	19.00	1.20	2.50	0.221	71.71
13743	19.05	1.50	2.50	0.273	71.91
13592	20.00	1.20	2.50	0.234	75.710
13593	20.00	1.30	2.50	0.252	75.708
1359	20.00	1.35	2.50	0.261	75.708
13594	20.00	1.40	2.50	0.271	75.710
13598	20.00	1.80	2.50	0.342	75.708
1356	20.00	1.95	2.50	0.368	75.708
13581	25.00	1.10	2.50	0.275	95.71
13582	25.00	1.20	4.00	0.291	93.133
13518	25.00	1.8	2.50	0.439	95.708
1358	25.00	1.90	2.50	0.462	95.708
1351	25.00	2.70	2.50	0.643	95.71
1354	25.40	1.50	2.50	0.379	97.31
13604	30.00	1.90	2.50	0.565	115.708
1362	35.00	1.70	4.00	0.589	133.133
1363	60.00	2.00	3.00	1.239	234.85




1 3 5 1 A  
 W = 0.357 Kg/M  
 P = 95.71 mm

# OTHERS HOLLOWS




NO SECTION	A mm	B mm	T mm	R mm	W Kg/M	OP mm
1353	25.00	12.00	1.20	3.50	0.206	67.99
13538	25.00	12.00	1.80	3.50	0.304	67.991
1352	25.00	15.00	2.70	2.50	0.497	75.71
1369	25.00	20.00	1.40	2.50	0.308	85.710
13675	30.00	15.00	1.50	2.00	0.333	86.570
13674	30.00	20.00	1.40	1.80	0.351	96.910
13691	30.15	26.15	1.00	0.70	0.293	111.400
13651	35.00	10.00	1.20	2.00	0.269	86.566
13641	38.10	25.40	1.50	2.50	0.480	122.71
13572	40.00	20.00	1.20	2.50	0.364	115.710
1357	40.00	20.00	1.45	2.50	0.437	115.708
13574	40.00	25.00	1.80	2.50	0.586	125.708
13575	40.00	30.00	2.00	2.00	0.715	136.57
13643	50.00	25.00	1.10	2.50	0.424	145.710
13642	50.80	25.40	1.50	2.50	0.583	148.110

# ROUND BARS




NO SECTION	D mm	W Kg/M	P mm
1428 A	2.00	0.009	6.28
1428	3.00	0.019	9.42
1420	4.00	0.034	13.00
1430	4.10	0.036	12.88
1427	4.76	0.048	14.95
1401A	5.00	0.053	15.71
1434	6.00	0.077	18.85
1401	6.35	0.086	19.95
1435	6.80	0.098	21.36
1440	7.80	0.129	24.500
1403	8.00	0.136	25.13
1402	9.00	0.172	28.27
1404	9.50	0.193	29.85
1405	10.00	0.213	31.42
1405 A	10.70	0.244	33.62
1439	12.00	0.307	37.699
1406	12.70	0.343	39.90
1406A	14.20	0.429	44.61
1407	15.88	0.537	49.89
1433	16.00	0.545	50.27
1408	16.50	0.579	51.84
1409	19.05	0.772	59.85
1410 A	20.00	0.851	62.83
1410	20.50	0.894	64.40
1411	22.20	1.049	69.74
1411B	22.70	1.097	71.31

# ROUND BARS




NO SECTION	D mm	W Kg/M	P mm
1411A	23.80	1.206	74.77
1412	25.40	1.373	79.80
1413	26.50	1.495	83.25
1418	28.00	1.669	87.96
1414	29.50	1.852	92.68
1414A	30.50	1.980	95.82
1415	31.75	2.146	99.75
1416	38.10	3.090	119.69
1417	39.00	3.237	122.52
SKW-001	44.45	4.205	139.64
1419	50.80	5.493	159.59
1419 A	51.00	5.536	160.22
1421	57.15	6.952	179.54
1422	63.50	8.582	199.49
1423	69.85	10.385	219.44
1424	76.20	12.359	239.39
1425	82.55	14.504	259.34
1426	88.90	16.821	279.29
1441	94.50	19.007	296.88
1431	101.60	21.971	319.19
1432	127.00	34.329	398.98
1438	205	89.447	644.03

# SQUARE BARS




NO SECTION	A mm	AREA mm	W Kg/M	P mm
1502	6.35	40.32	0.109	25.40
1503	9.53	90.82	0.246	38.12
1505	10.00	100.00	0.271	40.00
1504	12.70	161.29	0.437	50.80
1524	19.05	362.77	0.983	75.51
1513	25.00	624.86	1.693	99.31
1526	25.40	645.16	1.748	101.60
1520	31.75	1007.20	2.730	125.28
1525	32.00	1024.00	2.775	128.00
1521	38.10	1451.61	3.934	152.40
1516	40.00	1599.86	4.336	159.31
1522	44.45	1975.80	5.354	177.80
1517	45.00	2024.14	5.485	178.28
1518	50.00	2500.00	6.775	200.00
1523	51.00	2601.00	7.049	204.00
1519	75.00	5625.00	15.24	300.00




1 5 0 1

W = 0.042 Kg/M  
P = 14.83 mm



1 5 0 7


W = 0.132 Kg/M  
P = 27.142 mm



1 5 5 1


W = 3.497 Kg/M  
P = 152.40 mm

# FLAT BARS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1606	10.70	1.00	0.029	23.40
1617	12.00	1.80	0.059	21.60
1600	12.70	0.80	0.028	27.00
1601	12.70	0.90	0.031	27.20
1619 A	12.70	0.90	0.031	27.20
1619	12.70	1.00	0.034	27.40
1647	19.00	6.00	0.309	50.00
1613	19.05	1.00	0.052	40.10
1629	19.05	1.00	0.052	40.10
16012	19.05	2.00	0.103	42.10
1602	20.00	2.00	0.108	44.00
1603	20.00	3.00	0.163	46.00
1615	20.00	3.60	0.195	47.20
16151	20.00	5.00	0.271	50.00
1611	23.50	0.80	0.051	48.60
1641	24.00	1.00	0.065	50.00
1642	24.00	2.90	0.189	53.80
1604	24.00	5.00	0.325	58.00
1621	25.00	2.50	0.169	55.00
1610	25.00	3.00	0.203	56.00
1637	25.00	5.00	0.339	60.00
16016 A	25.00	5.00	0.338	59.14
1618	25.40	0.90	0.062	22.83
1622	25.40	1.00	0.069	52.80
16319	25.40	9.53	0.656	69.86
16312	25.40	12.70	0.874	76.20
1643	30.00	1.00	0.081	62.00
1625	30.00	2.00	0.163	64.00

# FLAT BARS




NO SECTION	A mm	T mm	W Kg/M	OP mm
1614	31.75	0.90	0.086	65.50
16020	31.75	6.00	0.516	75.50
1640	32.00	3.00	0.260	70.00
16401	32.00	5.00	0.434	74.00
1644	35.00	1.00	0.095	72.00
1605	38.00	2.00	0.206	80.00
1626	38.00	2.50	0.257	95.00
1628	38.00	2.60	0.268	81.20
1627	38.10	3.20	0.330	81.74
1639	38.10	6.00	0.620	87.68
16056	38.10	9.53	0.984	95.26
16331	38.10	12.70	1.311	101.60
16402	40.00	3.00	0.325	86.00
16403	40.00	5.00	0.542	90.00
16341	44.45	8.00	0.964	104.90
16342	44.45	25.40	3.060	139.70
16351	50.00	1.00	0.136	102.000
1636 A	50.80	3.00	0.413	107.600
1630 A	50.80	4.70	0.646	110.14
16361	50.80	8.00	1.100	117.60
16362	50.80	15.88	2.186	133.36
16316	50.80	25.40	3.497	152.40
16363	50.80	38.10	5.245	177.80
1624	51.20	2.90	0.402	108.20
1623	59.80	1.90	0.308	123.40
1607	60.00	10.00	1.626	140.00
16198	63.50	12.70	2.185	152.40
16080	63.50	15.88	2.733	158.76

# FLAT BARS




NO SECTION	A mm	T mm	W Kg/M	OP mm
16298	63.50	19.05	3.278	165.10
16381	70.00	1.00	0.190	142.00
1638	76.20	9.53	1.968	170.94
16086	76.20	15.88	3.278	184.15
16081	76.20	19.05	3.934	190.50
16317	76.20	25.40	5.245	203.20
16082	76.20	31.75	6.556	203.20
16199	88.90	12.70	3.059	215.90
16299	88.90	19.05	4.589	215.90
16083	101.60	9.53	2.624	222.26
16084	101.60	15.875	4.379	234.95
16085	101.60	25.40	6.994	254.00
1608	110.00	10.00	2.981	240.00
1609	130.00	12.00	4.227	283.14
16079	160.20	5.60	2.431	331.60
1616	180.00	8.50	4.146	376.14
16161	180.0	10.00	4.878	380.00
1616 B	180.0	20.00	9.755	398.71
1648	270.0	100.0	73.170	740.00




NO SECTION	A mm	T mm	R mm	W Kg/M	OP mm
1716	18.00	6.00	1.00	0.290	46.280
1737	38.10	31.75	0.40	3.278	139.700

# EQUAL ANGLES




NO SECTION	A mm	T mm	W Kg/M	P mm
1800	8.00	0.75	0.031	32.00
1805	8.00	0.80	0.033	32.00
1802	12.00	0.75	0.047	48.00
18070	12.60	0.70	0.046	50.40
1801	12.70	0.80	0.053	50.37
18591	12.70	0.90	0.060	50.800
1804	15.00	0.75	0.059	60.00
1807	15.00	0.80	0.063	60.00
1810	15.88	1.00	0.083	63.520
1803	17.00	0.75	0.068	68.00
1806	17.00	0.80	0.072	68.00
1811	19.05	0.80	0.081	76.200
1890	19.05	1.00	0.101	76.200
18007	19.05	1.40	0.139	76.200
1812	19.05	2.80	0.268	76.200
1808	24.00	0.75	0.096	96.00
1873	25.00	3.00	0.382	99.36
1813	25.40	0.80	0.108	101.600
1884	25.40	1.27	0.170	101.60
1815	25.40	2.00	0.264	101.600
1816	25.40	2.80	0.364	101.600
1809	28.00	0.75	0.112	112.00
18181	30.00	5.00	0.745	118.710
1817	31.80	1.00	0.170	127.200
1819	38.10	1.20	0.244	152.400
1867	38.10	2.00	0.402	152.40

# EQUAL ANGLES




NO SECTION	A mm	T mm	W Kg/M	P mm
18019	38.10	5.80	1.107	152.40
18196	40.00	1.60	0.341	160.000
18541	50.00	1.50	0.400	200.000
18542	50.00	3.00	0.789	200.000
1820	60.00	6.00	1.861	235.45
18201	63.50	6.00	1.967	254.00

# EQUAL ANGLES




1 8 2 1

W = 0.053 Kg/M  
P = 50.93 mm




1 8 2 2

W = 0.051 Kg/M  
P = 49.92 mm




1 8 2 3

W = 0.053 Kg/M  
P = 50.17 mm



1 8 2 4


W = 0.050 Kg/M  
P = 48.83 mm



1 8 2 5


W = 0.071 Kg/M  
P = 68.83 mm

# UNEQUAL ANGLES




NO SECTION	A mm	B mm	T mm	W Kg/M	P mm
18353	14.00	12.00	1.20	0.081	52.00
18354	15.00	12.00	1.40	0.097	54.00
18331	16.00	8.00	1.50	0.092	48.00
1833	16.00	12.00	1.50	0.108	56.00
18346	18.00	15.00	1.80	0.152	66.00
1812	19.05	19.05	2.80	0.268	76.200
1836	22.00	8.00	1.80	0.137	110.00
18361	22.00	10.00	1.20	0.100	64.00
1831	22.00	14.00	1.80	0.166	70.93
18358	26.50	12.70	1.20	0.124	78.40
18356	26.50	12.70	1.40	0.143	78.40
18359	26.50	12.70	1.50	0.153	78.40
18351	27.00	14.00	1.40	0.150	82.00
18352	27.00	13.00	1.55	0.162	80.00
1832	27.00	14.00	1.65	0.176	82.00
18357	30.00	18.00	2.00	0.249	96.00
1837	38.10	19.05	1.50	0.226	114.30
18355	50.00	25.00	4.40	0.842	150.0
18433	95.00	35.00	2.00	0.694	260.00
18329	152.40	76.20	6.00	3.619	457.20

# DECORATIVE ANGLES




1 9 7 4

W = 0.140 kg/m  
P = 75.63 mm




1 9 7 5

W = 0.189 Kg/M  
P = 83.24 mm




1 9 7 7

W = 0.183 Kg/M  
P = 75.03 mm




1 9 7 8

W = 0.190 Kg/M  
P = 86.25 mm




19781

W = 0.186 Kg/M  
P = 80.249 mm




1 9 7 9

W = 0.157 Kg/M  
P = 72.99 mm



1 9 7 6


W = 1.938 Kg/M  
P = 182.34 mm



19771


W = 0.150 kg/m  
P = 73.646 mm

# CHANNELS




NO SECTION	A mm	T mm	W Kg/M	P mm
1917	6.35	1.00	0.046	36.10
1909	9.58	1.00	0.072	55.48
1901	9.00	0.75	0.052	52.50
1905	9.00	0.80	0.055	52.50
1902	12.00	0.75	0.070	70.40
1906	12.00	0.80	0.074	70.40
1910	12.70	0.90	0.088	38.10
1903	15.00	0.75	0.088	88.50
1907	15.00	0.80	0.094	88.50
1911	15.88	0.90	0.112	93.480
1904	17.00	0.75	0.101	100.50
1908	17.00	0.80	0.107	100.50
1913	19.05	0.80	0.120	44.440
19010	19.05	1.59	0.233	81.230
19142	19.05	2.00	0.288	110.30
1914	19.05	2.40	0.340	57.150
1918	20.00	0.90	0.142	118.200
1915	25.40	1.00	0.201	150.400
19162	25.40	2.00	0.391	148.40
19165	25.40	2.50	0.482	147.40
1916	25.40	2.80	0.536	76.200
19012	31.75	2.80	0.680	251.02
19013	38.10	2.90	0.853	314.65
19014	50.80	2.80	1.114	411.04

# DECORATIVE CHANNELS




NO SECTION	A mm	T mm	W Kg/M	P mm
1926	9.00	0.80	0.052	52.65
1929	12.50	0.80	0.075	74.16
1927	15.00	0.70	0.080	88.85
1928	17.00	0.70	0.091	100.88

# UNEQUAL CHANNELS




NO SECTION	A mm	B mm	T Kg/M	W mm	P mm
1954	6.50	11.50	0.70	0.053	57.60
1951	6.60	12.30	0.80	0.064	60.80
1952	7.00	12.50	0.80	0.066	64.40




NO SECTION	A mm	B mm	T mm	W Kg/M	P mm
1955	12.50	7.00	0.90	0.060	51.20
19069 A	25.40	12.70	1.00	0.132	99.60
19069	25.40	19.05	1.00	0.167	125.00
1971	48.00	12.00	0.80	0.153	142.40
1970	50.80	12.50	0.90	0.180	149.80
19080	50.80	12.70	1.050	0.211	150.30
19731	61.00	8.50	1.20	0.245	152.227
1973	75.00	38.00	2.90	1.141	296.20
19096	75.00	50.00	3.00	1.374	344.00
19095	76.20	19.05	1.20	0.364	226.20
19097	100.00	19.00	0.90	0.332	274.20
19062	101.60	50.80	2.80	1.499	400.80

# TRANSPORT SECTIONS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
2401	19.20	5.20	0.80	0.065	61.44
2403	24.00	5.20	0.80	0.080	74.79




2 4 0 2

W = 0.102 Kg/M  
P = 75.67 mm




2 4 0 4

W = 0.087 Kg/M  
P = 73.44 mm



2 4 0 5


W = 0.124 Kg/M  
P = 73.83 mm




2 4 0 6

W = 0.090 Kg/M  
P = 68.62 mm

# SLIDING DOORS




No.Sect	T mm	W Kg/M	P mm
50031	0.90	0.437	229.141
5003	1.00	0.483	228.34



5 0 1 0

W = 0.403 Kg/M

P = 220.87 mm




5 0 1 1


W = 0.380 Kg/M

P = 212.76 mm

# SLIDING DOORS




No.Sect	T mm	W Kg/M	P mm
5002	1.00	0.534	393.33
50022	1.20	0.638	390.851




No.Sect	T mm	W Kg/M	P mm
50061	0.90	0.340	273.35
5006	1.00	0.369	270.13


No.Sect	T mm	W Kg/M	P mm
50051	0.90	0.433	255.40
5005	1.00	0.478	253.80



# SLIDING WINDOWS




No.Sect	T mm	W Kg/M	P mm
50071	0.90	0.347	285.80
5007	1.00	0.384	285.41




No.Sect	T mm	W Kg/M	P mm
50081	0.90	0.537	429.26
5008	1.00	0.587	427.25

# SLIDING WINDOWS




5 0 0 9  
 W = 0.458 Kg/M  
 P = 316.53 mm




No.Sect	T mm	W Kg/M	P mm
50091	0.90	0.432	320.14
5012	1.00	0.461	316.08


# SLIDING WINDOWS




5 0 1 3 1  
 W = 0.239 kg/m  
 P = 192.479 mm




5 0 1 4 1  
 W = 0.243 kg/m  
 P = 157.172 mm




5 0 1 5 1  
 W = 0.299 kg/m  
 P = 237.359 mm




5 0 1 9  
 W = 0.500 Kg/M  
 P = 400.309 mm



50041  
 W = 0.247 kg/m  
 P = 183.712 mm




5 0 2 0  
 W = 0.383 Kg/M  
 P = 167.60 mm




5 0 2 1  
 W = 0.189 Kg/M  
 P = 101.12 mm

# SLIDING DOORS




50101

W = 0.775 Kg/M  
P = 349.150 mm



50102


W = 0.673 Kg/M  
P = 351.020 mm



50102 A

W = 0.646 Kg/M  
P = 335.820 mm


# SLIDING DOORS



50103

W = 0.768 Kg/M


P = 380.150 mm



50104

W = 0.496 Kg/M


P = 255.760 mm



50105

W = 0.644 Kg/M

P = 229.600 mm




50107

W = 0.757 Kg/M

P = 285.540 mm


# SLIDING DOORS



50106

W = 1.100 Kg/M


P = 360.81 mm



50108

W = 1.492 Kg/M

P = 403.020 mm




5726

W = 0.955 Kg/M

P = 303.000 mm


# SLIDING DOORS



5013

W = 0.520 Kg/M

P = 302.830 mm




5014

W = 0.849 Kg/M



P = 434.570 mm

# SLIDING WINDOWS




5 1 0 1  
 W = 0.051 Kg/M  
 P = 38.95 mm


5 1 0 2  
 W = 0.315 Kg/M  
 P = 233.52 mm




5 1 0 3  
 W = 0.314 Kg/M  
 P = 177.12 mm




5 1 0 4  
 W = 0.253 Kg/M  
 P = 181.85 mm



5 1 0 5  
 W = 0.352 Kg/M  
 P = 248.86 mm




5 1 0 6  
 W = 0.261 Kg/M  
 P = 134.66 mm




5 1 0 7  
 W = 0.432 Kg/M  
 P = 309.06 mm


# SLIDING WINDOWS




5 1 0 8  
 W = 0.339 Kg/M  
 P = 237.98 mm




5 1 0 9  
 W = 0.196 Kg/M  
 P = 166.939 mm




5 1 1 0  
 W = 0.280 Kg/M  
 P = 215.316 mm



5 1 1 1  
 W = 0.300 Kg/M  
 P = 174.911 mm







5 1 1 2  
 W = 0.187 Kg/M  
 P = 172.623 mm





5 1 1 3  
 W = 0.323 Kg/M  
 P = 217.198 mm


# DOOR JAMB




# DOOR JAMB




# OTHERS




5 3 1 2  
 $W = 0.188 \text{ Kg/M}$   
 $P = 114.18 \text{ mm}$



53142  
 $W = 0.283 \text{ Kg/M}$   
 $P = 119.218 \text{ mm}$




No.Sect	T mm	W Kg/M	P mm
53141	0.90	0.139	115.29
5314	1.10	0.166	112.7




No.Sect	A mm	T mm	W Kg/M	P mm
53152	50.00	1.00	0.193	144.36
5315	50.80	1.10	0.213	144.30

# SWING DOORS




NO SECTION	A mm	B mm	C mm	T mm	W Kg/M	OP mm
5851	41.20	62.00	14.25	1.10	0.664	294.42
5050	41.20	63.35	14.25	1.15	0.699	299.33
5051	41.20	63.35	14.25	1.30	0.782	297.96
5051A	41.20	63.35	14.25	1.35	0.808	297.42
58511	41.20	62.00	14.25	2.00	1.112	290.820




5 8 5 3

W = 0.155 Kg/M  
P = 116.20 mm



5 0 5 3



W = 0.166 Kg/M  
P = 112.63 mm




50531

W = 0.263 Kg/M  
P = 109.879 mm


# SWING DOORS



NO SECTION	A mm	B mm	C mm	T mm	W Kg/M	OP mm
5852	41.20	103.85	14.25	1.10	0.913	399.62
58521	41.20	103.85	14.25	2.00	1.566	396.020




# SWING DOORS



5 0 1 6 1


W = 0.931 Kg/M

P = 371.31 mm



No.Sect	T mm	W Kg/M	P mm
5056	1.05	0.787	364.25
5058	1.10	0.821	365.23


# SWING DOORS



5 0 5 5


W = 0.819 Kg/M

P = 331.17 mm



No.Sect	T mm	W Kg/M	P mm
5801	1.05	0.777	357.530
5060	1.10	0.810	360.37
5803	1.10	0.813	361.180
5060A	1.35	0.960	352.530
58011	2.00	1.355	349.860


# SWING DOORS



5 0 5 4



W = 0.850 Kg/M

P = 343.75 mm




No.Sect	T mm	W Kg/M	P mm
5057	1.05	0.799	374.76
5059	1.10	0.839	327.45
5802	1.10	0.846	373.630
5059A	1.35	1.005	366.66
50571	2.00	1.397	362.460


# FRAMELESS DOORS




# DOORS



5 7 0 1  
 W = 0.900 Kg/M  
 P = 337.87 mm




5 7 0 3  
 W = 0.965 Kg/M  
 P = 323.40 mm



NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
5704	67.00	35.00	1.00	0.609	295.660
5702	67.00	35.00	1.35	0.813	291.160


# DOORS



57051

W = 0.778 kg/m


P = 270.928 mm



5706

W = 0.857 Kg/M


P = 294.439 mm



57011

W = 0.876 Kg/M

P = 327.235 mm




5705

W = 0.883 kg/m

P = 315.728 mm


# DOORS



57061

W = 0.947 Kg/M


P = 341.469 mm



57012

W = 0.977 kg/m


P = 373.639 mm



57031

W = 1.010 Kg/M

P = 367.287 mm




57032

W = 1.372 Kg/M

P = 383.231 mm


# DOORS



5 8 2 3

W = 0.142 Kg/M


P = 103.28 mm



5 8 2 1

W = 1.393 Kg/M


P = 305.05 mm



5 3 9 9

W = 0.153 Kg/M

P = 106.863 mm




5 8 2 2

W = 0.926 Kg/M

P = 246.94 mm


# HANDLES



5 1 5 2

W = 0.526 Kg/M

P = 178.81 mm







5 1 5 5


W = 0.376 Kg/M

P = 171.21 mm


# HANDLES




# CASEMENT WINDOWS



NO SECT	A mm	B mm	T mm	W Kg/M	OP mm
5376	33.85	17.80	0.90	0.168	137.120
5062	33.85	17.80	1.00	0.189	138.13
5064	33.85	18.00	1.00	0.192	140.09
50681	33.85	18.00	1.25	0.234	138.060




NO SECT	A mm	B mm	T mm	W Kg/M	OP mm
5375	41.00	30.40	0.90	0.280	218.58
5063	41.00	30.40	1.00	0.305	217.10
5069	41.00	30.40	1.25	0.366	213.00




NO SECT	A mm	B mm	T mm	W Kg/M	P mm
5374	35.00	39.80	0.90	0.373	205.10
5061	35.00	39.80	1.00	0.407	203.23
5067	35.00	39.80	1.25	0.489	198.40


# CASEMENT WINDOWS




5 0 6 5  
 W = 0.512 Kg/M  
 P = 225.00 mm




5 0 6 6  
 W = 0.493 kg/m  
 P = 236.742 mm




5 3 7 1  
 W = 0.345 Kg/M  
 P = 178.85 mm




50661  
 W = 0.400 kg/m  
 P = 240.233 mm




5 3 1 6  
 W = 0.216 Kg/M  
 P = 147.18 mm



5 3 7 2  
 W = 0.532 Kg/M  
 P = 201.55 mm




5 3 7 3  
 W = 0.089 Kg/M  
 P = 78.47 mm



5377  
 W = 0.109 Kg/M  
 P = 58.542 mm


# CASEMENT WINDOWS



5 3 0 1

W = 0.414 Kg/M

P = 184.47 mm




5 3 0 2

W = 0.167 Kg/M

P = 123.32 mm


# CASEMENT WINDOWS



5379

W = 0.612 Kg/M

P = 236.630 mm




5380

W = 0.189 Kg/M


P = 140.910 mm

# CASEMENT WINDOWS




72233

W = 0.216 Kg/M  
P = 154.520 mm



53782


W = 1.025 Kg/M  
P = 267.540 mm



53783

W = 0.732 Kg/M  
P = 241.69 mm


# WINDOW WALLS



72232

W = 0.189 Kg/M


P = 135.04 mm



72101

W = 0.947 Kg/M

P = 310.46 mm






53981




W = 0.700 Kg/M

P = 272.960 mm


# WINDOW WALLS




# WINDOW WALLS



# ROLLING DOORS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
5082	56.50	10.00	0.70	0.171	153.400
5084	56.50	10.00	0.80	0.188	152.20
5083	64.17	9.60	0.70	0.178	166.42
50851	64.19	10.13	0.80	0.209	166.426
5085A	64.26	9.70	0.80	0.199	166.26
5085B	64.26	9.75	0.85	0.209	166.28
5085	64.42	9.90	1.00	0.240	166.370
57731	64.07	9.90	0.80	0.206	166.690
5773	64.49	10.00	1.10	0.260	166.15
5767	65.48	10.00	0.70	0.180	167.677




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
5768	55.00	8.70	0.70	0.164	142.60
5088	55.00	9.10	0.70	0.168	144.87
5769	55.00	10.5	1.00	0.235	153.07
57691	55.37	10.10	0.90	0.204	146.960
5763	55.00	10.5	1.00	0.234	153.97
5766	55.48	9.30	0.70	0.172	148.195
5087	55.57	9.70	0.80	0.191	147.89
5081	56.50	10.00	0.70	0.181	151.53
5086	56.50	10.10	0.80	0.199	151.26
5081 B	56.50	10.00	1.00	0.223	150.04
5764	58.00	11.85	1.00	0.301	162.40


# ROLLING DOORS




5 7 6 7 1  
 W = 0.183 Kg/M  
 P = 170.145 mm



5 0 8 9 A  
 W = 0.174 Kg/M  
 P = 150.16 mm




5 7 6 2  
 W = 0.164 Kg/M  
 P = 151.41 mm




5 7 7 1  
 W = 0.629 Kg/M  
 P = 201.620 mm

# ROLLING DOORS




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
5091	100.00	25.00	1.00	0.793	455.36
5096	114.00	29.00	1.15	0.981	515.05
5097	100.00	25.00	1.15	0.875	453.67
5742	114.00	28.00	1.00	0.873	511.95



5 7 4 1


W = 0.685 Kg/M  
P = 441.58 mm




5 7 4 3

W = 0.676 Kg/M  
P = 435.493 mm

# ROLLING DOORS




NO SECTION	A mm	B mm	T mm	W Kg/M	P mm
5733	41.65	23.80	0.80	0.262	215.16
5092	42.00	24.00	1.00	0.316	215.57
5095	42.00	28.10	1.00	0.330	223.35
5098	42.00	24.00	1.15	0.354	214.87



5 0 9 0

W = 0.289 Kg/M

P = 238.49 mm




5 7 3 1


W = 0.356 Kg/M

P = 240.882 mm

# ROLLING DOORS




5 0 9 4  
W = 0.452 Kg/M  
P = 252.16 mm







5 0 9 3  
W = 0.458 Kg/M  
p = 242.90 mm


5 7 9 2  
W = 0.421 Kg/M  
P = 234.96 mm



# FOLDING DOORS




# ECONOMY CURTAIN WALLS



5 3 0 3

W = 0.529 Kg/M

P = 187.35 mm




5 3 0 4

W = 0.277 Kg/M

P = 205.26 mm


# ECONOMY CURTAIN WALLS



5 3 0 5

W = 0.576 Kg/M


P = 274.73 mm



5 3 0 6

W = 0.471 Kg/M


P = 243.53 mm



5 3 0 7

W = 0.312 Kg/M


P = 225.53 mm



5 3 0 8

W = 0.363 Kg/M

P = 141.27 mm




5 3 0 9


W = 0.482 Kg/M

P = 201.05 mm


# ECONOMY CURTAIN WALLS




5 3 1 0  
 W = 0.427 Kg/M  
 P = 210.22 mm



5 3 1 1  
 W = 0.289 Kg/M  
 P = 201.60 mm




5 3 6 6  
 W = 0.254 Kg/M  
 P = 81.81 mm



5 3 6 5  
 W = 0.426 Kg/M  
 P = 162.67 mm


# ECONOMY CURTAIN WALLS



5 3 1 3

W = 0.739 Kg/M


P = 238.15 mm



5 3 5 2

W = 0.689 Kg/M


P = 191.60 mm



5 3 5 1

W = 0.278 Kg/M

P = 206.8 mm









5 3 5 3







W = 0.143 Kg/M

P = 72.19 mm





# ECONOMY CURTAIN WALLS




# ECONOMY CURTAIN WALLS




# CURTAIN WALL




# CURTAIN WALL




53531  
 $W = 0.292 \text{ Kg/M}$   
 $P = 116.757 \text{ mm}$




53532  
 $W = 0.255 \text{ Kg/M}$   
 $P = 176.168 \text{ mm}$




53581  
 $W = 0.692 \text{ Kg/M}$   
 $P = 190.712 \text{ mm}$




91251  
 $W = 0.215 \text{ Kg/M}$   
 $P = 132.360 \text{ mm}$




53651  
 $W = 0.155 \text{ Kg/M}$   
 $P = 113.294 \text{ mm}$



53521  
 $W = 1.048 \text{ kg/m}$   
 $P = 286.400 \text{ mm}$







9125  
 $W = 0.231 \text{ Kg/M}$   
 $P = 142.380 \text{ mm}$




53461  
 $W = 0.934 \text{ Kg/M}$   
 $P = 285.620 \text{ mm}$

# CURTAIN WALL




# CURTAIN WALL



5 3 6 7

W = 0.546 Kg/M

P = 330.140 mm





5 3 6 8

W = 1.653 Kg/M


P = 516.540 mm

# CURTAIN WALL



53533


W = 0.657 Kg/M  
P = 202.36 mm




53534

W = 0.288 Kg/M  
P = 157.60 mm


# CURTAIN TRACK




5 4 0 1  
 W = 0.118 Kg/M  
 P = 125.42 mm




5 4 0 2  
 W = 0.157 Kg/M  
 P = 134.70 mm



5 4 0 4  
 W = 0.167 Kg/M  
 P = 134.33 mm




5 4 0 3  
 W = 0.183 Kg/M  
 P = 148.33 mm




5 4 0 5  
 W = 0.158 Kg/M  
 P = 135.51 mm

# WALL BOARD




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
5591	17.00	6.80	0.80	0.072	69.38
5592	21.50	7.30	0.80	0.083	79.38
5593	17.00	6.80	0.90	0.080	68.99
5594	21.50	7.30	0.90	0.092	79.00




5 5 9 6  
 W = 0.080 Kg/M  
 P = 70.83 mm


# AMPLIMESH DOORS




5 9 0 2  
 W = 0.598 Kg/M  
 P = 246.25 mm




5 9 0 4  
 W = 0.504 KG/M  
 P = 245.37 mm




5 9 0 6  
 W = 0.519 KG/M  
 P = 250.099 mm



5 9 0 7  
 W = 0.457 KG/M  
 P = 240.35 mm




5 5 8 1  
 W = 0.037 Kg/M  
 P = 39.84 mm




5 9 0 1  
 W = 0.302 Kg/M  
 P = 150.47 mm

# AMPLIMESH DOORS




5 9 0 3  
W = 4.287 Kg/M  
P = 516.37 mm




5 9 0 5  
W = 3.324 KG/M  
P = 535.48 mm


# SHOW CASES




6 0 0 2  
 W = 0.259 Kg/M  
 P = 109.64 mm



6 0 0 2 1  
 W = 0.211 Kg/M  
 P = 106.704 mm




NO SECTION	A mm	B mm	T mm	R mm	W Kg/M	P mm
6001	23.10	23.30	0.90	8.40	0.201	85.84
6003	23.10	23.30	0.80	8.40	0.179	85.84




6 0 0 1 1  
 W = 0.167 Kg/M  
 P = 84.704 mm

# SHOW CASES




NO SECTION	A mm	T mm	R mm	W Kg/M	P mm
6015A	20.50	0.70	8.50	0.144	78.35
6015	20.50	0.80	8.50	0.163	77.71
60081	23.00	0.70	8.50	0.162	87.71
6016A	23.50	0.70	8.50	0.166	89.71
6016	23.50	0.80	8.50	0.189	89.71
6010	24.00	0.80	8.50	0.194	92.09
6009	25.00	0.90	8.50	0.227	96.35
6007	25.00	1.00	8.50	0.251	96.35
6013	35.00	2.00	10.00	0.694	135.45




NO SECTION	A mm	B mm	T mm	R mm	W Kg/M	P mm
6017A	34.50	23.00	0.70	8.50	0.206	110.71
6017	34.50	23.00	0.80	8.50	0.234	110.71
6008	38.10	25.40	0.90	8.50	0.293	123.35
6005	38.10	25.40	1.00	8.50	0.324	123.35
6006	35.00	23.00	0.70	8.50	0.208	112.35
60056	40.00	25.00	1.20	7.00	0.398	127.00
6014	50.00	35.00	1.50	10.00	0.650	165.45

# SHOW CASES




NO SECTION	A mm	T mm	R mm	W Kg/M	P mm
6046	23.00	0.70	8.50	0.196	121.14
6026A	23.00	0.70	8.50	0.197	122.14
6026	23.50	0.80	8.50	0.227	123.74
6025	25.00	0.80	8.50	0.240	129.74
6028A	25.00	0.85	8.50	0.253	129.49
6037	30.00	0.70	9.00	0.250	152.74
6034	30.00	0.80	8.50	0.284	151.67




NO SECTION	A mm	T mm	R mm	W Kg/M	P mm
6047	23.00	0.70	2.50	0.202	124.93
6027	23.50	0.80	2.50	0.232	126.27
6028	25.00	0.80	2.50	0.245	132.27
6042	30.00	0.70	2.50	0.255	152.93
6035	30.00	0.80	3.00	0.289	154.03
6036	30.00	0.80	2.00	0.291	155.25

# SHOW CASES




NO SECTION	A mm	B mm	T mm	R mm	W Kg/M	P mm
6012	23.00	34.50	0.85	8.50	0.288	144.49
6039	24.00	35.00	0.80	9.00	0.280	150.25
6030	24.70	34.80	0.80	8.50	0.283	151.07
6032	25.00	34.80	0.90	8.50	0.314	148.89
6023	25.40	38.10	1.10	8.50	0.406	157.41



NO SECTION	A mm	B mm	T mm	R mm	W Kg/M	P mm
6011	23.00	34.50	0.85	2.50	0.295	147.45
6038	24.00	35.00	0.80	2.00	0.287	153.25
6029	24.70	34.80	0.80	3.00	0.288	153.43
6029A	24.70	34.80	0.85	3.00	0.305	153.23
6031	25.00	34.80	0.90	2.50	0.323	151.85
6024	25.00	38.00	1.10	3.00	0.412	159.57


# SHOW CASES



6 0 2 1

W = 0.279 Kg/M


P = 127.36 mm



6 0 4 0

W = 0.283 Kg/M


P = 144.12 mm



6 0 4 1

W = 0.289 Kg/M


P = 146.69 mm



6 0 4 3


W = 0.240 Kg/M

P = 131.69 mm




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
6063	9.50	21.00	0.80	0.124	103.82
60632	9.50	20.00	0.80	0.120	100.16


# SHOW CASES



NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
6124	8.00	35.00	0.80	0.165	153.71
6122	9.00	36.00	0.80	0.171	159.03
6062	9.00	36.00	1.00	0.220	158.71
60681	9.00	39.00	0.80	0.185	171.71
6068	9.00	40.00	1.00	0.235	174.28




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
6064	21.00	11.00	0.80	0.119	110.34
6069	23.00	11.00	0.70	0.106	112.80
6051A	23.00	12.00	0.80	0.129	120.40
6066	23.50	9.50	0.80	0.115	107.80
6067	24.00	11.00	0.90	0.143	119.20



NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
6061	21.60	12.20	1.30	0.164	95.17
6060	21.80	12.50	1.50	0.190	96.60


# SHOW CASES



6 0 6 5

W = 0.109 Kg/M


P = 56.87 mm



6 0 7 0

W = 0.121 Kg/M


P = 56.59 mm



6 1 1 5

W = 0.150 Kg/M


P = 54.78 mm



6 1 2 0

W = 0.103 Kg/M


P = 58.18 mm



6 1 1 1

W = 0.087 Kg/M


P = 41.53 mm



6 1 0 1

W = 0.317 Kg/M


P = 175.30 mm



6 1 0 2

W = 0.331 Kg/M


P = 144.74 mm



6 1 0 3

W = 0.189 Kg/M

P = 121.105 mm




6180


W = 0.237 Kg/M

P = 125.410 mm


# SHOW CASES



9 0 0 2  
W = 0.195 Kg/M  
P = 107.55 mm




9 0 0 8  
W = 0.151 Kg/M  
P = 95.20 mm




6 1 4 1  
W = 0.375 Kg/M  
P = 172.40 mm


# SHOW CASES



6 1 6 1  
W = 0.638 Kg/M  
P = 249.77 mm








6 1 6 2  
W = 0.308 kg/m  
P = 123.402 mm





6 1 6 3  
W = 0.756 kg/m  
P = 246.813 mm



# SHOW CASES




# SHOW CASES




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
6080	85.00	18.00	0.70	0.271	287.03
6079	92.00	24.00	0.70	0.336	355.10
6079A	92.00	24.00	0.80	0.383	354.25



# SHOW CASES




NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
60731	120.00	20.00	0.80	0.439	405.270
6073B	120.00	25.00	0.80	0.461	439.91
6073A	120.00	25.00	0.85	0.490	428.19
6073	120.00	25.00	0.90	0.518	425.76
6077A	134.00	24.00	0.80	0.487	450.51
6077	134.00	24.00	0.90	0.547	449.76
6075	134.00	24.00	1.00	0.606	449.03



NO SECTION	A mm	B mm	T mm	W Kg/M	OP mm
60741	120.00	20.00	0.80	0.456	420.712
6074B	120.00	25.00	0.80	0.478	440.92
6074A	120.00	25.00	0.85	0.510	445.40
6074	120.00	25.00	0.90	0.537	441.55
6078A	134.00	24.00	0.80	0.506	464.13
6078	134.00	24.00	0.90	0.566	465.55
6076	134.00	24.00	1.00	0.628	464.82


# SPANDRELS



6200

W = 0.305 Kg/M


P = 278.800 mm



6203

W = 0.360 Kg/M

P = 268.002 mm








62052






W = 0.302 Kg/M

P = 276.135 mm






# SPANDRELS




# SPANDRELS



# SPANDRELS




# SPANDRELS



6 2 1 2

W = 0.368 Kg/M


P = 321.41 mm



9 0 0 3

W = 0.240 Kg/M


P = 215.67 mm



6 2 1 1

W = 0.246 Kg/M

P = 224.87 mm




9 0 0 3

W = 0.240 Kg/M

P = 215.67 mm

# SPANDRELS




6223


W = 0.978 kg/m

P = 453.780 mm


# LOUVRES




6 3 0 1  
 $W = 0.327 \text{ Kg/M}$   
 $P = 184.23 \text{ mm}$



6 3 0 2  
 $W = 0.258 \text{ Kg/M}$   
 $P = 185.948 \text{ mm}$




6 3 0 4  
 $W = 0.301 \text{ Kg/M}$   
 $P = 192.560 \text{ mm}$





6 3 9 1  
 $W = 0.176 \text{ Kg/M}$   
 $P = 119.280 \text{ mm}$


6 3 8 1  
 $W = 0.407 \text{ Kg/M}$   
 $P = 269.461 \text{ mm}$



# LOUVRES




# LOUVRES




63911

W = 0.206 Kg/M  
P = 129.18 mm




63041

W = 0.321 Kg/M  
P = 191.74 mm



6306


W = 0.768 Kg/M  
P = 260.14 mm



6307

W = 0.617 Kg/M  
P = 341.71 mm


# LOUVRES



63501

W = 0.755 Kg/M


P = 193.76 mm



63502

W = 0.752 Kg/M


P = 214.002 mm



63500

W = 0.435 kg/m

P = 107.592 mm




63510


W = 0.761 Kg/M

P = 122.96 mm

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7103 A	0.90	0.522	425.67
7103	1.00	0.578	424.502




NO SECTION	T mm	W Kg/M	P mm
71031 A	0.90	0.512	418.43
71031	1.00	0.568	417.678
7111 A	1.10	0.624	419.08
7111	1.15	0.652	417.86
71111	2.00	1.074	409.210

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7101 A	0.90	0.469	369.47
7101	1.00	0.519	368.613




NO SECTION	T mm	W Kg/M	P mm
71011 A	0.90	0.464	365.85
71011	1.00	0.511	365.129
7109 A	1.10	0.558	366.25
7109	1.15	0.582	365.84
71091	2.00	0.926	356.510

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7105 A	0.90	0.431	352.332
7105	1.00	0.478	352.93
7113A	1.10	0.525	352.26
7113	1.15	0.548	351.91
71131	2.00	0.907	343.830

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7123 A	0.90	0.487	385.71
7123	1.00	0.532	384.38




NO SECTION	T mm	W Kg/M	P mm
71232	0.90	0.478	381.150
71231	1.00	0.519	378.230

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7104 A	0.90	0.570	452.405
7104	1.00	0.623	400.84




NO SECTION	T mm	W Kg/M	P mm
71042	0.90	0.560	447.840
71041	1.00	0.613	446.263

# SHOP FRONT 3" X 1.5"




NO SECTION	T mm	W Kg/M	P mm
7102 A	0.90	0.521	399.558
7102	1.00	0.565	397.41




NO SECTION	T mm	W Kg/M	P mm
71022	0.90	0.511	394.993
71021	1.00	0.556	393.616

# SHOP FRONT 3" X 1.5"




W = 0.570 Kg/M  
P = 401.95 mm




7 3 0 3  
W = 0.633 Kg/M  
P = 458.36 mm



# WINDOW WALLS 3" X 1.5"



# SHOP FRONT 3" X 1.5"





NO SECTION	T mm	W Kg/M	P mm
7106 A	0.90	0.181	145.99
7106	1.00	0.200	146.19
7114 A	1.10	0.210	146.78
7114	1.15	0.228	145.72
71141	2.00	0.373	144.360



NO SECTION	T mm	W Kg/M	P mm
71081 A	0.90	0.250	198.53
71081	1.00	0.275	199.67
7115 A	1.10	0.289	199.91
7115	1.15	0.310	198.84
71151	2.00	0.517	210.690

NO SECTION	T mm	W Kg/M	OP mm
7108 A	0.90	0.261	207.71
7108	1.00	0.285	207.19





7107-T

W = 0.209 Kg/M


P = 143.290 mm

NO SECTION	T mm	W Kg/M	P mm
7107 A	0.90	0.169	133.15
7107	1.00	0.184	133.22
7116 A	1.10	0.199	133.09
7116	1.15	0.206	132.88
71161	2.00	0.351	145.310


# SHOP FRONT 76.2mm X 37mm





# SHOP FRONT 76.2mm X 37mm




NO SECTION	T mm	W Kg/M	P mm
7119	0.90	0.498	404.07
7124	1.10	0.602	402.56




# SHOP FRONT 76.2mm X 37mm




# SHOP FRONT 76.2mm X 37mm



7 1 2 2  
W = 0.166 Kg/M  
P = 131.76 mm




7 1 1 8  
W = 0.164 Kg/M  
P = 130.12 mm



7 1 2 0  
W = 0.245 Kg/M  
P = 190.73 mm


# SHOP FRONT 3" X 1.5"



71502

W = 0.136 kg/m


P = 102.930 mm



75501

W = 0.136 kg/m


P = 102.960 mm



71521

W = 0.080 kg/m

P = 62.340 mm






71522


W = 0.108 Kg/M

P = 60.343 mm

# WINDOW WALLS 70mm X 30mm




# WINDOW WALLS



72061

W = 0.170 Kg/M


P = 137.877 mm



72072

W = 0.320 Kg/M

P = 198.510 mm






53191


W = 0.287 Kg/M

P = 200.110 mm


# SHOP FRONT 3" X 1.5"



SHOP FRONT 3" X 1.5"




7 1 3 6  
W = 0.200 Kg/M  
P = 154.360 mm



7 1 3 8  
W = 0.255 Kg/M  
P = 204.180 mm


# WINDOW WALLS



7 2 0 3

W = 0.663 Kg/M


P = 356.93 mm



7304

W = 0.682 kg/m

P = 363.586 mm




7 2 0 4

W = 0.349 Kg/M

P = 181.90 mm


# SHOP FRONT 70mm X 35mm



6334

W = 0.557 Kg/M


P = 301.37 mm



63511

W = 0.461 Kg/M

P = 268.25 mm




72031

W = 0.714 Kg/M

P = 349.40 mm


# SHOP FRONT 70mm X 35mm



6352

W = 0.722 kg/m


P = 189.14 mm



6331

W = 0.653 kg/m

P = 368.98 mm






6351




W = 0.459 kg/m

P = 269.92 mm

# SHOP FRONT 70mm X 35mm





# SHOP FRONT 70mm X 35mm






NO SECTION	T mm	W Kg/M	P mm
7314	1.00	0.592	426.130
73141	1.20	0.694	424.280


# SHOP FRONT 70mm X 35mm



# SHOP FRONT 70mm X 35mm




# SHOP FRONT 70mm X 35mm



7318

W = 0.249 kg/m


P = 187.07 mm



71503

W = 0.149 Kg/M


P = 111.310 mm



7317

W = 0.163 kg/m


P = 122.15 mm



71501

W = 0.152 kg/m


P = 112.600 mm



73211

W = 0.259 Kg/M


P = 183.740 mm



7 1 5 3

W = 0.087 Kg/M


P = 65.453 mm



7316

W = 0.186 kg/m

P = 140.370 mm




7154

W = 0.181 kg/m

P = 134.790 mm


# WINDOW WALLS 70mm X 26mm



7322

W = 0.215 Kg/M


P = 144.960 mm



7324

W = 0.463 Kg/M


P = 302.612 mm



57021

W = 0.631 Kg/M


P = 250.13 mm



7325

W = 0.539 Kg/M


P = 349.901 mm



7323

W = 0.184 Kg/M

P = 137.713 mm




7326


W = 0.648 Kg/M

P = 344.265 mm

# SHOP FRONT 4" X 1.75"




NO SECTION	T mm	W Kg/M	P mm
7501	1.00	0.663	462.82
7514 A	1.15	0.746	461.25
7514	1.20	0.772	460.99
7518	1.50	0.955	460.02




NO SECTION	T mm	W Kg/M	OP mm
7502	1.00	0.717	494.27
7502 B	1.15	0.798	491.81
7502 A	1.35	0.935	494.00

# SHOP FRONT 4" X 1.75"




NO SECTION	T mm	W Kg/M	P mm
7503	1.00	0.708	519.17
7522	1.10	0.770	517.53
7510 A	1.15	0.805	516.88
7510	1.20	0.838	516.70
7516	1.50	1.044	514.43




NO SECTION	T mm	W Kg/M	OP mm
7504	1.00	0.762	550.62
7504 B	1.15	0.857	547.44
7504 A	1.35	1.004	549.47

# SHOP FRONT 4" X 1.75"




NO SECTION	T mm	W Kg/M	P mm
7505	1.00	0.607	445.05
7509 A	1.15	0.690	443.40
7509	1.20	0.718	443.05
7517	1.50	0.896	442.20




NO SECTION	T mm	W Kg/M	OP mm
7515	1.00	0.661	476.50
7515 B	1.15	0.742	473.95
7515 A	1.35	0.875	476.40
75151	1.60	1.040	473.736

# SHOP FRONT 4" X 1.75"




NO SECTION	T mm	W Kg/M	OP mm
7507	1.00	0.244	173.48
7512 B	1.15	0.276	173.01
7512	1.20	0.288	173.18
7520	1.50	0.354	173.83




NO SECTION	T mm	W Kg/M	OP mm
7508	1.00	0.345	247.59
7511 B	1.15	0.393	246.70
7511	1.20	0.408	246.63
7511 A	1.25	0.423	247.81
7519	1.50	0.502	246.06

# SHOP FRONT 4" X 1.75"



NO SECTION	T mm	W Kg/M	OP mm
7513	1.00	0.274	199.022
7521	1.50	0.389	193.211





7506 A

W = 0.244 Kg/mm




P = 200.240 mm

# SHOP FRONT 4" X 1.75"





7 6 0 2  
 $W = 0.476 \text{ Kg/M}$   
 $P = 231.94 \text{ mm}$



# WINDOW WALLS 100mm X 35mm





# SHOP FRONT 4" X 1.75"





# SHOP FRONT 100mm X 40mm




# SHOP FRONT 100mm X 40mm



# SHOP FRONT 100mm X 40mm




# SHOP FRONT 100mm X 40mm



7366

W = 0.275 Kg/M


P = 171.600 mm



7367

W = 0.267 Kg/M

P = 169.800 mm





7368



W = 0.388 Kg/M

P = 246.210 mm

# SHOP FRONT 100mm X 40mm




# SHOP FRONT 100mm X 40mm




7371  
W = 0.359 Kg/M  
P = 232.090 mm


# GIPSUM PARTITION




9 0 0 7  
 W = 0.133 Kg/M  
 P = 111.00 mm




9 3 0 5  
 W = 0.187 Kg/M  
 P = 160.455 mm




9 0 0 7 A  
 W = 0.106 Kg/M  
 P = 113.00 mm




9 3 0 2  
 W = 0.381 Kg/M  
 P = 333.488 mm




9 3 0 3  
 W = 0.229 Kg/M  
 P = 212.398 mm



9 3 0 4  
 W = 0.506 Kg/M  
 P = 377.297 mm





9 3 0 1  
 W = 0.08 Kg/M  
 P = 86.06 mm



9307  
 W = 0.276 kg/m  
 P = 254.850mm

# OTHERS



5 9 5 1

W = 1.048 Kg/M

P = 347.872 mm